



RESTORATIVE PROSTHETICS IMPLANT CENTRE – IMPLANTS

(Office use Only)
JOB NUMBER

Dentist	Date Sent
Surgery	Due Date
Patient	M <input type="checkbox"/> F <input type="checkbox"/> Age <input type="text"/>

ITEM PROVIDED

ALLOY

INSTRUCTIONS

Impression <input type="checkbox"/>	Model <input type="checkbox"/>	Zirconia <input type="checkbox"/>	Semi <input type="checkbox"/>
Bite <input type="checkbox"/>	Guide Pin <input type="checkbox"/>	Titanium <input type="checkbox"/>	Precious <input type="checkbox"/>
Lab Analog <input type="checkbox"/>	Abutment <input type="checkbox"/>		Non Precious <input type="checkbox"/>
Pink Tissue <input type="checkbox"/>	Articulator <input type="checkbox"/>		Type IV Gold <input type="checkbox"/>

Type of Implant System

ATLANTIS CAD CAM

Ti Abutment with Cement on Crown
 PFM Zirc Monolithic Layered
 Direct Layered on a Zirc Abutment

STRAUMANN CAD CAM

Cares X-Stream All in One DTF
 Cares Screw Retained Bridge Coron Co/Cr
 Cares Co/Cr Pontics
 Cares Zirconia Abutment
 Full Contour Ti Crown (All in One)

OSTEON RESOTRATIONS

CAD CAM Co/Cr Crowns
 Nexus Bar Ti frame / Zirc bridge
 Melbourne Bar Ti / acrylic

OTHERS

Angle Correction
 Gold Hue Surface Abutment
 Cross Pin PFM
 Ti Abutment

NOBEL PROCERA

CAD CAM Zirc Mono Abutment Crown
 CAD CAM Ti Abutment Cement Crown
 PFM Zirc Monolithic Layered
 CAD CAM Zirc Layered Abutment Cr

DIGITAL

Type of scan bodies

Patient Attending Lab for Shade:



Occlusal staining Y / N

For all digital work please upload to our portal